GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR&RD Department - Institution of AP Lokayukta – Complaint No.594/2007/B2 - Allegations of the irregularities in execution of work "Leveling of S.K.P.P Govt. High School at Ramachandrapuram – Disciplinary proceedings initiated against Sri K. Nageswara Rao, AEE, PR, K.Gangavaram – Expired on 29.05.2016 – Further action abated – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 545 **Dated: 22-08-2019**

Read the following:-

1.Memo.No.Vig(2)/1141/2010, Dt.20.04.2011 of ENC, PR.
2.From the ENC, PR, Lr.No.Vig.II/11141/2010, dt.21.2.2013.
3.Govt. Memo. No.18804/Vig.II/A2/2012, Dt.11.06.2013.
4.Lr.No.Supdt/939/2010, dt.12.07.2018 of SE, PR, Kakinada.
5. Lr.No.Supdt/939/2010, dt.18.07.2018 of SE, PR, Kakinada.
6.From ENC, PR, AP, Vijayawada, Lr.No.Vig.II/11141/2010, Dt.23.07.2018 & 01.04.2019.

*****

Order:-

In the reference 1st read above, the Engineer in Chief, Panchayat Raj, has framed charges against Sri K.Nageswara Rao, AEE, PR, K.Gangavaram for the irregularities in execution of Work "Leveling of S.K.P.P Govt. High School at Ramachandrapuram.

2. In the reference 2nd read above, the Engineer in Chief, Panchayat Raj, has submitted that the S.E. PR, Kakinada has informed that Sri K.Nageswara the AEE, K.Gangavaram has not submitted WSD and charges was not served to him and absconded from his legitimate duties w.e.f. 22.06.10 for that charges were framed and sent for serving on the above Assistant Executive Engineer (PR) and requested the Government to arrange to communicate suitable order in the matter at the earliest.

3. After examination of the matter, the Engineer in Chief, Panchayat Raj, was requested to conclude the disciplinary action against Sri K.Nageswara Rao, AEE, PR, K.Gannavaram as per rules and submit compliance report, vide reference 3rd read above.

4. In the reference 6th read above, the Engineer in Chief, Panchayat Raj, Andhra Pradesh, has submitted that Superintendent Engineer, Panchayat Raj, Kakinada informed that Sri K.Nageswara Rao, AEE, was expired on 29.05.2016 and requested to abate further action on the above charges against Sri K.Nageswara Rao, AEE. ENC, PR, has further submitted that there is no financial loss to the Government.

5. After careful examination of the matter, Government have decided to abate further action against Sri K.Nageswara Rao, AEE, who was expired on 29.05.2016.

6. Accordingly, Government hereby abate further action against (late) Sri K.Nageswara Rao, AEE, in respect of allegations of irregularities in execution of Work "Leveling of S.K.P.P Govt. High School at Ramachandrapuram, under rule 9(7) of APRP Rules, 1980.

7. The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada shall take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVT (PR&RD)

To
The Legal heirs of the individual through ENC, PR, AP, Vijayawada.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
The Accountant General, Hyderabad.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER